

**Jefferson County School District, R-1
Support Services**

TECHNICAL GUIDELINES

**DIVISION 13 – SPECIAL CONSTRUCTION
November 1, 2006**

DIVISION 13 - SPECIAL CONSTRUCTION

13 17 23 Therapeutic Pools – November 1, 2006

- Work in this section is open to any product or material.

END SECTION 13 17 23

13 23 00 Planetariums – November 1, 2006

- Work in this section is open to any product or material.

END SECTION 13 23 00

13 26 00 Fabricated Rooms – November 1, 2006

- Work in this section is open to any product or material.

END SECTION 13 26 00

13 28 29 Portable Stages – November 1, 2006

- Work in this section is open to any product or material.

END SECTION 13 28 29

13 28 33 Athletic and Recreational Court Walls – November 1, 2006

- Work in this section is open to any product or material.

END SECTION 13 28 33

13 34 00 Fabricated Engineered Structures – November 1, 2006

- Work in this section is open to any product or material meeting the requirements of this Technical Guideline.
- Submittals
 1. Product Data: Required
 2. Shop Drawing: Required
 3. Design Data, Certificates, Manufacturer Instructions, Mfr. Field Reports: Required
 4. Closeout: Submittals listed above, updated to record status
- Sheetmetal, wood, and fiberboard are not recommended materials for unoccupied outbuildings such as storage sheds.

END SECTION 13 34 00

13 42 00 Building Modules – November 1, 2006

- Work in this section is open to any product or material.
- Building modules and miscellaneous interior constructions are typically excluded from the General Contract for Construction.
- Large semi-permanent interior constructions such as reading lofts, storage modules, and cubicles may be considered as building remodeling which is subject to routine regulatory control such as reviews, permits, and approvals.
- Permanent interior construction such as a Student Store qualifies as remodeling and is excluded from this section.
- Submittals
 1. Shop Drawing: Preferred
- Interior constructions are prohibited:
 1. In any component of the building's emergency egress system
 2. In areas defined as "assembly" occupancies by the International Building Code (Cafeteria, Gymnasium, Auditorium)
- Portability: Units or unit components must be relocatable.
 1. Attachment of any kind to permanent building components (walls, ceilings, floors, etc.) is prohibited.
 2. Unit or unit components must fit through a single 3'-0" x 6'-8" door and frame without having to remove the door from its hinges.
 3. Maximum component weight = 200 lbs.
- Materials must comply with Jefferson County School District, R-1 Facilities Services Technical Specifications.
- Fabrication
 1. ADA compliant
 2. Design and construct to maintain unobstructed visibility of all areas accessible to students.
 3. Permanently free of projecting screws, bolts, sharp edges, pinch points, and splinters
 4. Ladders: Not recommended
- Comply with International Building Code for the following:
 1. Flammability
 2. Stairs/Ramps
 3. Handrails/Guardrails
 4. Finishes
 5. Electrical and mechanical connections and accessories
 6. Structural loads

END SECTION 13 42 00

13 48 00 Sound, Vibration, and Seismic Control – November 1, 2006

- Work in this section is open to any product or material.

END SECTION 13 48 00